

HVAC Trade Standard according to



BUILDING PRODUCT DECLARATION BVD 3

in compliance with the guidelines of the Ecocycle Council, May 2007

-			
4	Basi	~ ~	ata
			111

Product identification Product name COMPACT Air COMPACT Heat ☑ New declaration ☐ Revised declaration	Has the product be changed?	a revi	sed de	Pi C	Product g	-		UNI	т		
COMPACT Air COMPACT Heat New declaration	In the case of Has the product be changed? No Yes	a revi	sed de	С	COMPAC	-	NDLING	UN	т		
☑ New declaration	Has the product be changed?			claratio	on.		Product group COMPACT AIR HANDLING UNIT				
	Has the product be changed?			J. W W	In the case of a revised declaration						
	l l					nange relates to					
	30, 2018	Change	d produ	ict can be	identified	оу					
Drawn up/revised on (date) April	Drawn up/revised on (date) April 30, 2018 Inspected without revision on (date)										
Other information:											
2 Supplier information	1										
Company name Swegon Operation	ons AB			Compa	any reg.	no./DUNS	no. 5560	77-8	465		
Address Box 300				Contac	ct person	Dan Örte	ngren				
SE-535 23 Kvär	num, Sweden			Teleph	none	+46 512-	32200				
Website: www.swegon.com		E-mail info@swegon.se									
Does the company have an environmental management system?					S	□ No					
The company possesses certification in compliance with				Oth	Other If "Other", please specify:			' :			
Other information:											
3 Product information											
Country of final manufacture S	Sweden	If cou	intry can	not be st	tated, ple	ase state w	hy				
Area of use Ventila	ation of buildings				_						
Is there a Material Safety Data Sh	eet for this produc	t?			⊠ No	t relevant	☐ Ye	s	□ No		
In accordance with the regulations Chemical Agency, please state:	s of the Swedish	Classi	ification ling				⊠ No	t rele	evant		
Is the product registered in BAST	A?			☐ Yes				⊠ No			
Is the product ecolabelled?	eria not found	☐ Ye	es 🗵	No	If "ye	s", please s	pecify:				
Is there a Type III Environmental	Declaration for thi	is prod	uct?				☐ Ye	S	⊠ No		
Other information:											
4 Contents (To add a new green row, tab ahead from the last green row's white comments box or select and copy an entire empty row and paste it in. See the instructions for further information.)											
At the time of delivery, the produ	ct comprises the	followi	ng parts	/compor	nents and	d the chemic	cal compo	sitio	n stated:		
	Constituent substances		eight or g		no./ C		assific on	Co	mments		
Granite HDX (Painted sheet steel)											

The particulars in the green-shaded field are requirements according to the guidelines of the Ecocycle Council.

	Iron	23,8 %	7439-89-6	
	Aluminium	0,015 %	7429-99-5	
	Zinc	0,015 %	7429-90-5	
	Formaldehyde	4,7*10 ⁻⁵ %	50-00-0	
	Melamine	0,02 %	30-00-0	
	polymer	0,02 70		
	Epoxy resin	0,016 %	25068-38-6	
	Hexane, 1.6- diisocyanate, homopolymer	0,0075 %	85940-94-9	
	Hexamethylene diisocyanate	1,83*10 ⁻⁵ %	822-06-0	
	2-Butanone oxime	1*10 ⁻⁴ %	96-29-7	
	Saturated polyester	0,1 %		Hardened
	Silicon dioxide	0,019 %	7631-86-9	
	Calcium silicate	4,5*10-4 %	1344-95-2	
	Titanium dioxide	0,036 %	13463-67-7	
	Dibutyltin dilaurate	5,91*10-4 %	77-58-7	
	Dodecylbenzenes ulfonic acid	3,23*10-4 %	27176-87-0	
	Phosphoric acid	0,002 %	7664-38-2	
	Acrylic polymer	0,0017 %		
Alamatatama alama anada d			EN	
Aluminium-zinc coated sheet steel, (DX51D AZ185)			EN 10346:2009	
	Iron	46,7 %	7439-89-6	
	Aluminium	0,55 %	7429-90-5	
	Zinc	0,44 %	7440-66-6	
Galvanized sheet steel, (DOGAL 300 LAD)			EN 10346:2009	
	Iron	9,9 %	7439-89-6	
	Zinc	0,19 %	7440-66-6	
Other metals				
	Steel	1,61 %	68467-81-2	
	Aluminium	4,2 %	7429-90-5	Alloy 3004
Motors		3,4 %		
	Iron	2,0-2,3 %	7439-89-6	
	Copper	1,0-1,2 %	7440-50-8	
	Other	<0,5 %		
Electronic devices				
		0,8 %		
(circuit cards)	Bisphenol A	0,8 % ≤0,15 %	80-05-7	

The particulars in the green-shaded field are requirements according to the guidelines of the Ecocycle Council.

	Enjoblorbydrin	≤0,075 %	106-89-8	
	Epichlorhydrin			
	Glass fibre	≤0,3 %	65997-17-3	
	Copper	<0,15 %	7440-50-8	
	Silver	<0,005 %	7440-22-4	
	Tin	<0,005 %	7440-31-5	
	Tetrabrombisphe nol A (TBBP-A)	≤0,085 %	79-94-7	
Polymeric materials				
Hoses	PVC	0,072 %	9002-86-2	
D sealing strips	EPDM	0,49 %	61789-00-2	
VT sealing strips	PVC	0,09 %	9002-86-2	
Condensate mat	Polythene	0,179 %	9002-88-4	
Situseal sealing strip	Polyether	0,122 %	64060-31-7	
Bristled sealing strip	Polypropylene	0,047 %	9003-07-0	
Mineral wool		6,1 %	287922-11-6	
	Mineral wool	5,95 %		
	Phenol	<0,1 %	108-95-2	
	Formaldehyde	<0,1 %	50-00-0	
	Urea	<0,12 %	57-13-6	
	Mineral oil	0,03 %		
Filters				
	Polystyrene	0,4 %	9003-53-6	
	Polyester	0,38 %	25038-59-9	
	Glass fibre	0,02 %	65997-17-3	
Other information: Zinc used	internally only, no cont	act with water.		

If the chemical composition of the product after it is built in differs from that at the time of delivery, the content of the finished built in product should be given here. If the content is unchanged, no data need be given in the following table.

tuore.					
Constituent materials/Components	Constituent substances	Weight % or g	EG no./ CAS no. (or alloy)	Classific ation	Comments
Other information:					

5 Production phase

Resource utilisation and environmental impact during production of the product is reported in one of the								
following ways:								
☑ 1) Inflows (raw materials, intermediate goods, energy, etc.) for the registered product into the manufacturing unit,								
and the outflows								
(emissions and residual products) from it, i.e. from "gate-to-gate".								
☐ 2) All inflows and outflows from the extraction of raw materials to finished products, i.e. "cradle-to-gate".								
☐ 3) Other limitation. State what:								
The report relates to unit of product	☐ Reported product	☐ The product's	☐ The product's					

			1	prodı	uct group	producti	on unit	
Specify raw materials and in the product	itermediate goo	ds used in the m	nanufacture	of	⊠ Not relevant			
Raw material/intermediate goo	ods	Quantity and unit			Comments			
Indicate recycled materials u	sed in the manu!	facture of the pr	oduct		Not relevan ■ Not relevan Not relevant Not relevant	nt		
Type of material		Quantity and u			Comments			
Enter the energy used in the n parts	nanufacture of th	ne product or its	component	t	⊠ Not relevar	nt		
Type of energy		Quantity and u	unit		Comments			
Enter the transportation used component parts	ture of the produ	uct or its		⊠ Not relevar	nt			
Type of transportation		Proportion %			Comments			
		<u> </u>						
								
Enter the emissions to air , wa product or its component parts		the manufacture	e of the		Not relevar	nt		
Type of emission		Quantity and unit			Comments			
		<u> </u>						
		<u> </u>				Г		
Enter the residual products fi	rom the manufac	ture of the prod				Not relevan	t	
			Proportion Material	n rec	ycied Energy			
Residual product	Waste code	Quantity	recycled '	%	recycled %	Comments		
	<u> </u>							
	<u> </u>	<u> </u>						
	<u> </u>							
Is there a description of the data accuracy for the manufacturing data?	Yes	□ No	If "yes", p	pleas	e specify:			
Other information:								
Other information.								
6 Distribution of fin	ished proc	tout	1					
Does the supplier put into praction the product?	ctice a system fo	r returning load	carriers	1 🔲	Not relevant	☐ Yes	⊠ No	
Does the supplier put into pracpackaging for the product?	ctice any system	is involving mult	ti-use	1	Not relevant	☐ Yes	⊠ No	
Does the supplier take back pa	ackaging for this	product?		[]	Not relevant	☐ Yes	⊠ No	
Is the supplier affiliated to RE	PA?		_	1	Not relevant	⊠ Yes	☐ No	
Other information:								

7 Construction phase						
Are there any special requirements product during storage?	for the	☐ Not releva	nt Xe	s 🔲 No	If "yes", 1	please specify:)*
Are there any special requirements adjacent building products because product?		⊠ Not releva	nt Ye	s No	If "yes",	please specify:
Other information:)* See the instru	ections for i	installation an	d maintenan	ce.		
8 Usage phase						
Does the product involve any speci intermediate goods regarding opera			☐ Yes	⊠ No	If "yes", p	lease specify:
Does the product involve any speci requirements for operation?	al energy s	upply	⊠ Yes	□ No	If "yes", p 240-400V	lease specify: Voltage,
Estimated technical service life for	the produc	t is to be enter	red according		he following	options a) or b) below:
a) Reference service life estimated as being approximately	☐ 5 years	10 years	☐ 15 years	☑ 25 years	□ >50 years	Comments
b) Reference service life estimated	to be in the	interval of	years			
Other information: The reference swhen the product is delivered.	ervice life a	applies to "noi	mal operation	on" accordin	g to the prod	uct data sheet in force
9 Demolition						
Is the product ready for disassemble apart)?	y (taking	□ Not rele	evant	⊠ Yes	□ No	If "yes", please specify: All components can be disassembled for sorting the different types of material into separate bins for recycling.
Does the product require any special to protect health and environment didemolition/disassembly?		☐ Not rele	☐ Not relevant		⊠ No	If "yes", please specify:
Other information:						
10 Waste management						
Is it possible to recycle all or parts of product?	ofthe	⊠ Not rele	evant	☐ Yes	□ No	If "yes", please specify:
Is it possible to recycle materials fo parts of the product?	rall or	☐ Not rele	evant	⊠ Yes	□ No	If "yes", please specify: See constituent material/Components
Is it possible to recycle energy for a of the product?	ill or parts	⊠ Not rel	evant	☐ Yes	□ No	If "yes", please specify:

The particulars in the green-shaded field are requirements according to the guidelines of the Ecocycle Council.

Does the supplier have any restrictions and recommendations for re-use, material or

Enter the waste code for the supplied product 20 01 40

energy recycling or waste disposal?

■ Not relevant

☐ Yes

☐ No

If "yes", please

specify:

Is the supplied product of	classified as hazardous	waste?			☐ Yes	⊠ No				
If the chemical composition of the product differs after having been built in from that which it had at the time of delivery, meaning that another waste code is given to the finished built in product, then this should be entered here. If it is unchanged, the following details can be omitted.										
Enter the waste code for the built in product										
Is the built in product classified as hazardous waste?										
Other information:										
11 Indoor environment (To add a new green row, tab ahead from the last green row's white comments box or select and copy an entire empty row and paste it in. See the instructions for further information.) When used as intended, the product gives off the following emissions:										
Turns of amission	Quantity [µg/m²h]	or [ma/m³h]	emissions							
Type of emission	4 weeks	26 weeks	Method of measurement		Comments					
	+ Weeks	20 WCCRS								
Can the product itself gir	ve rise to any noise?		⊠ N	lot relevant	☐ Yes	□ No				
Value	U	nit	Metl	nod of measuremen	t:					
Can the product give rise	e to electrical fields?		⊠ N	lot relevant	☐ Yes	□ No				
Value	U	nit	Metl	nod of measuremen	t					
Can the product give rise	e to magnetic fields?		⊠ N	lot relevant	☐ Yes	□ No				
Value Unit				Method of measurement						

References

with regard to duty point.

http://www.swegon.com/en/Products/Air-Handling-Units/ONE-PIECE-AIR-HANDLING-UNIT-GOLD/

The EMC and LVD are met - we refer to the EU Declaration of Conformity.

Other information: The sound data is specified for each separate air handling unit in the technical supporting documents