

BUILDING PRODUCT DECLARATION BPD 3

in compliance with the guidelines of the Ecocycle Council, June 2007

1 Basic data

Product identification			Document ID CKDa_BPD3_EN			
Product name	Product no	Product no/ID designation : 64161		Product group		
CKDa 250		, , , , , , , , , , , , , , , , , , ,		-		Air diffusers
New declaration	In the ca	In the case of a revised declaration				
Revised declaration	Has the pr changed?	Has the product been 7		relates to BPD3		
	No No	Tes Yes	Changed pr	oduct can be identified by		
Drawn up/revised on (date) 20	Drawn up/revised on (date) 2012-12-17 In		Inspected without revision on (date) 2012-12-17			
Other information:						

2 Supplier information

Company nameSwegon AB				Company reg. no/DUNS no 556077-8465			
Address	Address Industrigatan 5			Contact person			
	SE-275 35 Tomelilla			Telephone +46(0)41719800			
Website: www.swegon.com			E-mail tomelillasupport@swegon.se				
Does the company have an environmental management system?			Yes	No			
The company provide the company provide the company provides the company	possesses compliance with	⊠ ISO 9000	ISO 14000	Other	If "other", please specify:		
Other informat	tion:						

3 Product information

Country of final manufac	final manufacture Sweden If country cannot be stated, please state why					
Area of use	Indoor Climate					
Is there a Safety Data Sh	eet for this product?			Not relevant	Yes	🗌 No
In accordance with the re	Classificati	ion		Not relevant		
Chemicals Agency, pleas	se state:	Labelling				
Is the product registered	in BASTA?				Yes	🛛 No
Has the product been eco-labelled?	Criteria not found	Yes	🗌 No	If "yes", please specify:		
Is there a Type III enviro	nmental declaration for the	e product?			Yes	🖾 No
Other information:						

4 Contents

At the time of delivery, the product comprises the following parts/components, with the chemical composition stated:								
Constituent materials/ components	Constituent substances	Weight % or g	EG no/ CAS no (or alloy)	Classifi- cation	Comments			
Cones	steelsheet	29,3%	EN10130 DC5					
duct part and plates	galvanized steel	64,5%	EN10346:2009 DX51D+Z275					
Bolts	Steel 8,8 FZB	2,6%						
Duct Sealingring	EPDM 70 black	1,6%						

Data in fields highlighted in green are requriements in compliance with the Ecocycle Council guidelines.

Painting powder	Polyester		See other information down				
Other information: CAS not available inhalable powder coating EC REACh no registration available 95.00 - <100.00% Classification CAS unavailable Powder Colour respirable EC REACh no registration available 7.00 - <10.00% Classification CAS 54553-90-1 benzene-1 ,2,4,5-tetracarboxylic acid, compound with 4,5-dihydro-2-phenyl-1Himidazole (1:1) EC 259-224-4 REACh no registration available 1.00 - <2.00% Classification R52/53 Aquatic Chronic 3, H412;							

5 Production phase

For further information referring to LCA information

Other information:

6 Distribution of finished product

Does the supplier put into practice a system for returning load carriers for the product?	Not relevant	🗌 Yes	🖾 No
Does the supplier put into practice any systems involving multi-use packaging for the product?	Not relevant	Yes Yes	🗌 No
Does the supplier take back packaging for the product?	Not relevant	Yes	🛛 No
Is the supplier affiliated to REPA?	Not relevant	Xes Yes	🗌 No
Other information:			

7 Construction phase

Are there any special requirements for the product during storage?	Not relevant	Yes	No No	If "yes", please specify:		
Are there any special requirements for adjacent building products because of this product?	Not relevant	Tes Yes	🛛 No	If "yes", please specify:		
Other information: Installation-Commissioning-Maintenance on swegon.com						

8 Usage phase

Does the product involve any special requirements for intermediate goods regarding operation and maintenance?			Yes	No No	If "yes", please specify:		
Does the product have any special energy supply requirements for operation?			Yes	🛛 No	If "yes", please specify:		
Estimated technical service life for t	he product i	s to be entere	ed according	to one of the	e following o	options, a) or b):	
a) Reference service life estimated as being approx.	5 years	10 June 10 Jun	15 years	25 years	$\square > 50$ years	Comments	
b) Reference service life estimated to be in the interval of 15-25 years							
Other information: Reference service life is current under "normal conditions" according to on deliverytime valid							

Data in fields highlighted in green are requriements in compliance with the Ecocycle Council guidelines.

9 Demolition

Is the product ready for disassembly (taking apart)?	Not relevant	Yes	🛛 No	If "yes", please specify:
Does the product require any special measures to protect health and environment during demolition/disassembly?	Not relevant	Yes Yes	🛛 No	If "yes", please specify:
Other information:				

10 Waste management

Is it possible to re-use all or parts of the product?	Not relevant	Tes Yes	🛛 No	If "yes", plea	se specify:	
Is it possible to recycle materials for all or parts of the product?	Not relevant	Xes Yes	🗌 No	If "yes", plea 75-100 can recycled		
Is it possible to recycle energy for all or parts of the product?	Not relevant	Xes Yes	🗌 No	If "yes", plea Plastic is co waste		
Does the supplier have any restrictions and recommendations for re-use, materials or energy recycling or waste disposal?	Not relevant	TYes Yes	🛛 No	If "yes", please specify:		
Enter the waste code for the supplied product						
Is the supplied product classed as hazardous wa	ste?			Yes	🛛 No	
If the chemical composition of the product differs after having been built in from that which it had at the time of delivery, meaning that another waste code is given to the finished built in product, then this should be entered here. If it is unchanged, the following details can be omitted.						
Enter the waste code for the built in product						
Is the built in product classed as hazardous waste?						
Other information:						

11 Indoor environment

When used as intended, the product gives off the following emissions:				The product de emissions	pes not hav	e any
Type of emission	Quantity [µg/m ² h]	or [mg/m³h]	Met	hod of	Comments	
	4 weeks	26 weeks	measurement			
Can the product itself giv	ve rise to any noise?			lot relevant	Yes	🛛 No
Value	U	nit	Meth	nod of measurement		
Can the product give rise	to electrical fields?			lot relevant	Yes	🛛 No
Value	U	Unit		nod of measurement		
Can the product give rise	Can the product give rise to magnetic fields?			🛛 No		
Value	U	nit	Method of measurement			
Other information: Improper design and installation, noise can occur. Product noise level shown in the brochure. Electric and magnetic fields are reported in the product data sheets and / or CE declaration.						

References

Appendices

Data in fields highlighted in green are requriements in compliance with the Ecocycle Council guidelines.