

## **BUILDING PRODUCT DECLARATION BPD 3**

in compliance with the guidelines of the Ecocycle Council, June 2007

### 1 Basic data

Product identification				Document ID COLIBRI Wa_BPD_EN		
Product name COLIBRI Wa 300-150 + ALVd 300-150-100	04044.00000			Product group Air Diffusers		
New declaration     ■	In the case of a revised declaration					
Revised declaration	Has the product been changed?		The change relates to			
	⊠ No	Yes	Changed product can be identified by version, small letter			
Drawn up/revised on (date) 2011-08-26		Inspected without revision on (date) 2011-08-26				
Other information:						

# 2 Supplier information

Company nameSwegon AB			Company reg. no/DUNS no 556077-8465			
Address Industrigatan 5			Contact person			
SE-275 35 Tomelilla			Telephone +4641719800			
Website: www.swegon.com			E-mail tomelillasupport@swegon.se			
Does the company have an environmental management system?			⊠ Yes	□No		
The company certification in	possesses n compliance with	⊠ ISO 9000	⊠ ISO 14000	Other	If "other", please specify:	
Other informa	tion:		-			

### 3 Product information

Country of final manufac	cture Sweden	If country cannot be stated, please state why				
Area of use	Indoor Climate			_		
Is there a Safety Data Sh	eet for this product?			Not relevant     ■	Yes	☐ No
In accordance with the re	egulations of the Swedish	Classificat	ion		Not relevant     ■	
Chemicals Agency, pleas	se state:	Labelling				
Is the product registered	in BASTA?				Yes	⊠ No
Has the product been eco-labelled?	Criteria not found	Yes	□ No	If "yes", please specify:		
Is there a Type III enviro	onmental declaration for the	product?			Yes	⊠ No
Other information:						

### 4 Contents

At the time of delivery, the product comprises the following parts/components, with the chemical composition stated:								
Constituent materials/ Constituent substances Weight EG no/ CAS no cation Comments								
Diffuser frame	aluminium	8%						
Nozzle plate	Steel sheet	4%	EN10130FeP01Am					
Nozzles	ABS plastic	1,6%	CAS 9003-56-9					

Painting	Polyester powder	0,8%										
Commissioning box	Galvanized sheet steel	44,6%	EN 10	0292 00LAD Z275	5							
Comissioning box, damper and spigot details	Galvanized sheet steel	12,4%	EN 10	0292 00LAD Z275	5							
Fixing frame	Galv. sheet steel	27%	EN10	124 FeP02	2G							
insulation	Polyester fiber	0,8%	CAS	25038-59-9	)							
Fastenings	50% steel, 50% Aluminium	0,4%				Lo ste	w alloyed el					
Rubber sealing ring Ø100mm	rubber	0,2%	EPDI komp	М 70 IRH, 2 ).	2-							
Measuring tube	PVC	0,2%	CAS	9002-86-2								
Other information:												
If the chemical composition of th												
finished built in product should Constituent materials/ components	Constituent substances	Weight % or g		o/ CAS no	Class catior	ifi- Co	mments					
		3	,									
Other information:	1	-I			l .	l .						
5 Production phase												
For further information reffe	ring to LCA informati	on:										
0.1												
Other information:												
6 Distribution of fini	chad product											
6 Distribution of fini	-											
Does the supplier put into pract product?					ot relevant	Yes	⊠ No					
Does the supplier put into pract for the product?			se packag	ging No	ot relevant	⊠ Yes	☐ No					
Does the supplier take back pac	kaging for the product?			□ No	ot relevant	Yes	⊠ No					
Is the supplier affiliated to REP	the supplier affiliated to REPA?											
Other information:												
7 Construction phas	se											
Are there any special requirement product during storage?	Are there any special requirements for the Not relevant Yes No If "yes", please specify:											
Are there any special requirements for adjacent building products because of this product?  Not relevant Yes No If "yes", please specify:												
Other information:												
8 Usage phase												
Does the product involve any sp		ce?	Yes [	⊠ No □	If "yes", ple							
	,											
requirements for operation?	cial energy supply		Yes [	⊠ No □	If "yes", ple	ase specif	y:					

Estimated technical service life for the product is to be entered according to one of the following options, a) or b):									
a) Reference service life estimated as being app	orox.	10 years	15 years	25 years	$5$ $\square > 50$ years	Comment	is		
b) Reference service life	estimated to be in the	e interval of 1	5-25 years						
Other information: Reference service life is current under "normal conditions" according to on deliverytime valid product sheet.									
9 Demolition									
Is the product ready for dapart)?	the product ready for disassembly (taking								
Does the product require to protect health and envidemolition/disassembly?	ironment during	S Not re	levant	☐ Ye	es No	If "yes", ple	ease specify:		
Other information:									
10 Waste mana	gement								
Is it possible to re-use all product?	or parts of the	☐ Not re	levant	⊠ Ye	es No	If "yes", ple Modular de	ease specify: esign		
Is it possible to recycle n parts of the product?	naterials for all or	☐ Not re	levant	⊠ Ye	es 🗌 No	If "yes", ple to scrapya	ease specify: rd		
Is it possible to recycle e of the product?	nergy for all or parts	☐ Not re	levant	⊠ Ye	es No	If "yes", ple burn plasti	ease specify:		
	Does the supplier have any restrictions and recommendations for re-use, materials or  Not relevant  Yes  No If "yes", please specify:								
Enter the waste code for	<u> </u>	16 01 99			<del></del>				
						Yes	⊠ No		
Is the <b>supplied</b> product classed as hazardous waste?  If the chemical composition of the product differs after having been built in from that which it had at the time of delivery, meaning that another waste code is given to the finished <b>built in</b> product, then this should be entered here. If it is unchanged, the following details can be omitted.									
Enter the waste code for	the <b>built in</b> product								
Is the <b>built in</b> product classed as hazardous waste?									
Other information:									
11 Indoor environment									
When used as intended, the product gives off the following emissions:    Image: The product does not have any emissions   Image: The product does not have a like   Image: The product d									
Type of emission	Quantity [µg/m²h	] or [mg/m <sup>3</sup>	h]	Metho	od of	Comme	nts		
	4 weeks	26 weeks	s	meas	urement				
Can the product itself give rise to any noise?						⊠ No			
Value Unit Method of measurement									
					⊠ No				
Value		Unit			od of measureme				
<u>'</u>						1			
Can the product give rise	to magnetic fields?			□No	t relevant	Yes	⊠ No		
•		 Unit				Yes ent	⊠ No		
Can the product give rise Value Other information:		Unit			ot relevant od of measureme		⊠ No		